

SURMOUNT™ PIN Diode RoHS Compliant

Rev. V5

Features

- Surface Mount
- No Wire Bonding Required
- Rugged Silicon-Glass Construction
- Silicon Nitride Passivation
- Polymer Scratch Protection
- Low Parasitic Capacitance and Inductance
- High Average and Peak Power Handling
- RoHS Compliant


Description

This device is a Silicon-Glass PIN diode chip fabricated with M/A-COM Tech's patented HMIC process. This device features two silicon pedestals embedded in a low loss, low dispersion glass. The diode is formed on the top of one pedestal and connections to the backside of the device are facilitated by making the pedestal sidewalls electrically conductive. Selective metallization is applied producing a surface mount device. This vertical conic topology provides for exceptional heat transfer from the active area. The topside is fully encapsulated with silicon nitride and has an additional polymer layer for scratch and impact protection. These protective coatings prevent damage to the junction and the anode air-bridge during handling and assembly.

Absolute Maximum Ratings T_{AMB} = 25°C (unless otherwise specified)

Parameter	Absolute Maximum		
Forward Current	600mA		
Reverse Voltage	-100V		
Operating Temperature	-55°C to +125°C		
Storage Temperature	-55 °C to +150°C		
Junction Temperature	+175°C		
Dissipated Power (RF & DC)	800mW		
Mounting Temperature	+260°C for 30 seconds		

MA4SPS302



- 1. Backside metal: 0.1 µM thick.
- 2. Yellow hatched areas indicate backside ohmic gold

DIM	INCHES		ММ		
DIN	Min.	Max.	Min.	Max.	
Α	0.052	0.056	1.321	1.422	
В	0.020	0.024	0.508	0.610	
С	0.004	0.006	0.102	0.152	
D	0.018	0.020	0.457	0.508	
Е	0.014	0.016	0.356	0.406	



SURMOUNT™ PIN Diode RoHS Compliant


Rev. V5

Electrical Specifications @ T_{AMB} = +25°C


Symbol	Conditions	Units	Min	Тур	Max
C _T ¹	-40V, 1MHz	pF		0.40	0.45
C _T ^{1,3}	-40V, 1GHz	pF		0.36	
R _S ^{2,3}	10mA, 100MHz	W		1.3	2.2
V _F	10mA	V		0.84	1.00
V _R	-10μΑ	V	-70	-100	
I _R	-70 V	nA		100	1000
R _{qJL} ⁴	I _H =1A, I _L =10mA	°C/W		125	·
TL	+10mA / -6mA	ns		460	·

- 1. Total Capacitance, C_T , is equivalent to the sum of Junction Capacitance and Parasitic Capacitance. $C_T = C_J$ (Junction Capacitance) + C_{PAR} (Parasitic Capacitance)
- 2. Series resistance R_S is equivalent to the total diode resistance: $R_S = R_J$ (Junction Capacitance Junction Resistance) + R_O (Ohmic Resistance)
- 3 R_S and C_T are measured on an HP4291A Impedance Analyzer with die mounted in an ODS-186 package with conductive silver epoxy.

Rs vs. Forward Current and Frequency



C_T vs. Reverse Voltage and Frequency





SURMOUNT™ PIN Diode RoHS Compliant

Rev. V5

MA4SPS302 ADS SPICE Model & Schematic

MA4SPS302 SPICE Model

PinDiodeModel wBv=100 V NLPINM1 wPmax=0.8 W Is=1.0E-14 A Ffe=1.0

Vi=0.0 V


Un=900 cm²/V-sec

Wi=6.5 um Rr=20 K Ohm Cmin=0.40 pF Tau=0.20 usec Rs=0.1 Ohm Cj0=0.50 pF Vj=0.7 V M=0.5 Fc=0.5

Imax=1.0E+6 A/m^2

Kf=0.0 Af=1.0

MA4SPS302 Schematic



MA4SPS302



SURMOUNT™ PIN Diode RoHS Compliant

Rev. V5

Handling

All semiconductor chips should be handled with care to avoid damage or contamination from perspiration and skin oils. The use of plastic tipped tweezers or vacuum pickups is strongly recommended for individual components. Bulk handling should insure that abrasion and mechanical shock are minimized.

Die Attach

Attachment to a circuit board is made simple through the use of surface mount technology. Mounting pads are conveniently located on the bottom surface of these devices and are removed from the active junction locations. These devices are well suited for solder attachment onto hard and soft substrates. The use of 80/20, Au/Sn, 60/40, Sn/Pb or RoHS compliant solders is recommended. Conductive silver epoxy solder may also be used but could result in an increase in series and thermal resistance.

When soldering these devices to a hard substrate, hot gas die bonding is preferred. We recommend utilizing a vacuum tip and force of 60 to 100 grams applied to the top surface of the device. When soldering to soft substrates, it is recommended to use a lead-tin interface at the circuit board mounting pads. Position the die so that its mounting pads are aligned with the circuit board mounting pads and reflow the solder by heating the circuit trace near the mounting pads while applying 60 to 100 grams of force perpendicular to the top surface of the die. The solder joint must not be made one pad at a time. Doing so could create unequal heat flow and produce thermal and/or mechanical stresses to the die. It is also not recommended to reflow solder by causing heat to flow through the top surface of the die. Since the HMIC glass is transparent, the edges of the mounting pads can be visually inspected through the die after attach is completed.

Recommended temperature and re-flow profiles for 60/40, Sn/Pb and RoHS compliant solders are provided in Application Note M538, "Surface Mounting Instructions". Application Note M541 "Bonding and Handling Procedures for Chip Diode Devices" provides handling and assembly recommendations.

Ordering Information

The MA4SPS302 SURMOUNT are packaged in gel packs.

Part Number	
Gel Pack	
MA4SPS302	

MA4SPS302



SURMOUNT™ PIN Diode RoHS Compliant

Rev. V5

M/A-COM Technology Solutions Inc. All rights reserved.

Information in this document is provided in connection with M/A-COM Technology Solutions Inc ("MACOM") products. These materials are provided by MACOM as a service to its customers and may be used for informational purposes only. Except as provided in MACOM's Terms and Conditions of Sale for such products or in any separate agreement related to this document, MACOM assumes no liability whatsoever. MACOM assumes no responsibility for errors or omissions in these materials. MACOM may make changes to specifications and product descriptions at any time, without notice. MACOM makes no commitment to update the information and shall have no responsibility whatsoever for conflicts or incompatibilities arising from future changes to its specifications and product descriptions. No license, express or implied, by estoppels or otherwise, to any intellectual property rights is granted by this document.

THESE MATERIALS ARE PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, RELATING TO SALE AND/OR USE OF MACOM PRODUCTS INCLUDING LIABILITY OR WARRANTIES RELATING TO FITNESS FOR A PARTICULAR PURPOSE, CONSEQUENTIAL OR INCIDENTAL DAMAGES, MERCHANTABILITY, OR INFRINGEMENT OF ANY PATENT, COPYRIGHT OR OTHER INTELLECTUAL PROPERTY RIGHT. MACOM FURTHER DOES NOT WARRANT THE ACCURACY OR COMPLETENESS OF THE INFORMATION, TEXT, GRAPHICS OR OTHER ITEMS CONTAINED WITHIN THESE MATERIALS. MACOM SHALL NOT BE LIABLE FOR ANY SPECIAL, INDIRECT, INCIDENTAL, OR CONSEQUENTIAL DAMAGES, INCLUDING WITHOUT LIMITATION, LOST REVENUES OR LOST PROFITS, WHICH MAY RESULT FROM THE USE OF THESE MATERIALS.

MACOM products are not intended for use in medical, lifesaving or life sustaining applications. MACOM customers using or selling MACOM products for use in such applications do so at their own risk and agree to fully indemnify MACOM for any damages resulting from such improper use or sale.