

# 東莞市智旭電子有限公司 JYH HSU (JEC) ELECTRONICS LTD.,

文件编号: P005

版 本: 7

制定日期: 2020.04.01

# 承认书

### SPECIFICATION FOR APPROVAL

**Description: CERAMIC DISC CAPACITOR SAFETY RECOGNIZED** 

TD SERIES X1:400VAC Y1: 400VAC

客户名称 CUSTOMER	
品 名 PART NAME	安规电容器
客户料号 Customer Part No:	210946 210948 210950
承認規格 APPROVE ITEM	Y5V - 222M /400VAC P=10 Y5V - 332M /400VAC P=10 Y5V - 472M /400VAC P=10
供应商料号 Part Number	JD222M2GY5VS10L JD332M2GY5VS10L JD472M2GY5VS10L
日 期 DATE	2020/08/18

客户承认

Customer approval

供应商承认

Supplier admit that



Approved/Recognized Type

Approved/Recognized Type										
Related Star	ndard	Certificate NO	APProved Monogram							
CQC (China)	IEC 60384-14	CQC13001103540	Cec							
KC (Korea)	K60384	SU03044-9001								
UL(usa) CSA(Canada)	IEC UL 60384	E356696	c <b>Al</b> us							
ENEC (EU)	EN 60384-14	ENEC-00982-A1	15							
VDE (Germany)	EN 60384-14	40038642								
IEC CB	IEC 60384-14	US-33637-UL								

## Specifications

Operating Temp.Range	-40°C to +85°C								
Use temperature range				-	–40°C to	o -	+ <b>125</b> ℃		
				_	X1		Y1		
Applicable Standards	UL, CSA	UL, CSA, CQC, ENEC, VDE			)E	40	0VAC	400\	'AC
Dielectric Withstanding		Rted Voltage				Test	Voltag	je	
Voltage		400VAC					4000 VA	C for '	l min.
Dissipation Factor	Y5P,Y5I	J	TANδ(DF) ≦	2.5	5%,measure	ed a	t 1KHz±10%,1.0	<b>–</b> 5.0	0 Vrms,25℃
(D.F)	Y5V TANδ(DF) ≦5.0%			$\%$ ,measured at 1KHz±10 $\%$ ,1.0 $-$ 5.0 Vrms,25 $^{\circ}$ C					
Canacitance(C)	Range	Range 10 pF to 10000 p			) pF. measured at 1KHz±10%, 1.0 − 5.0 Vrms, 25°C				.0 Vrms, 25℃
Capacitance(C)	Tolerance		±10%	Y	/5P				
			±10%		Y5U				
			±20%	Y					
			±20%	Y	′5V				
InsulationResiatance(IR)			1000	1 0	МΩ ,	1	min , 100 VD	С	
	Туре	Te	mp. Coeff.		Temp. Ra	ang	е		
Temperature	Code								
Characteristics	Y5P	±10	0%		<b>−40</b> ℃	to	+85℃, −40	°C to	) +125°C
	Y5V	+30	0%~-89%		<b>−40</b> ℃	to	+85°C, −40	$^{\circ}$ C to	+125°C
	Y5U	+22%~-65%			<b>−40</b> °C	to	+85°C, −40	°C to	) +125°C

### Part Number Configuration:

102 2G Y5V JD M S Т 10

(1) (2) (3) (4) (6)(编带) (7) (8) (5)

(1) AC capacitors, safety

(5) Type code: (B)Y5P, (F)Y5V, (E)Y5U


(2) Rated capacitance

(6) Lead shape:S(直角), I(内弯), O(外弯), X(前后弯)

(3) Tolerance on rated capacitance (7) Pin pitch : 7.5or9.5or10.0

(4) Rated Voltage

(8) Lead length: 3 - 30 mm



Dimensions and Tolerance

B=3.0mm max for AA

L=3-30mm

编带详细参数看 P12.

### 承认规格详细参数 (Approved Spec. Data)


品名规格	D (MAX) mm	F ±0.8mm	LMINmm	T±0.5mm	d±0.05mm	В	DF	Amm	备注
Y5V 222M/400V	AC 8.4	10.0	25.0	4. 5	0.55	≦2.0	<b>≤</b> 5.0%	/	
Y5V 332M/400V	AC 10.2	10.0	25.0	4. 5	0.55	≦2.0	<b>≤</b> 5.0%	/	
Y5V 472M/400V	AC 11.4	10.0	25.0	4. 5	0.55	<b>≤</b> 2.0	<b>≤</b> 5.0%	/	

### Marking:

a. Trademark or Company name



- b. Product Type JD Series
- c. Nominal Capacitance & Tolerance 222=2200pF, K=  $\pm 10\%$ , M=  $\pm 20\%$
- d. Safety Class such as Y1
- e. Recognized Type
- f. Rated Voltage



### 1. Packing Quantity: Each bag(pcs)


Pack	Safety Y1	Safety Y2	High Voltage	Ceramic DC
10 -332PF	1000PCS	1000pcs	1000pcs	1000PCS
472-103pF	500PCS	1000PCS	1000PCS	1000PCS
223-104pF	/	/	500PCS	1000PCS

#### **ROHS Compliance, SVHC**



### 2. Packing information


- 2.1 the number of plastic bags in each bag is 1000 PCS. Internal label and ROHS qualification label.
- 2.2 the quantity of each small box is 10k-30k. 1K is a bag. It depends on the product volume.
- 2.3 each large box can hold two small boxes.



#### 料號編碼規定如下:

成品之編碼原則上以十五碼完成,亦以阿拉伯數字與英文字母混合編成,第二碼至第十一碼與瓷片相同。 第一碼以J代表自製(取 JEC 商標第一字)

The coding of the finished product is in principle 15 codes, which are mixed with Arabic numerals and English letters Sizes 2 to 11 are the same as the tiles The first code is represented by J (take the first word of JEC trademark).




# Capacitance and Dimensions:

		CAP.	TOL.		Dime	ension(m	m)	
Part Number	T.C.			D max	F±0.	8MM	T	Ф 4(+0.05)
JD10K2GY5P To JD82K2GY5P		10pF To 82PF		6.8			max	d(±0.05)
JD101K2GY5P	100PF 6.8 150PF 6.8							
JD151K2GY5P		6.8						
JD221K2GY5P		220PF		6.8				
JD331K2GY5P		330PF	-	7.2				
JD471K2GY5P	±10%	470PF	-	8.8			6	
JD561K2GY5P	(Y5P)	560PF	+10%	8.8				0.55
JD681K2GY5P		680PF	1 21070	9.8				
JD102K2GY5P		1000PF		10.2	9.5			
JD471K2GY5U		470PF		6.8				
JD561K2GY5U		560PF		7.8				
JD681K2GY5U		680PF	=	7.2		10.0		
JD102M2GY5U		1000PF		7.8				
JD152M2GY5U	+22 ~-65% (Y5U)	1500PF		9.3				
JD222M2GY5U		2200PF	M±20%	10.7				
JD332M2GY5U		3300PF	IVI±20 /6	13.0				
JD392M2GY5U		3900PF		15.0				
JD472M2GY5U		4700PF		15.0				
JD102M2GY5V		1000PF		6.8				
JD152M2GY5V		1500PF		7.8				
JD222M2GY5V	-	2200PF		8.4				
JD332M2GY5V	+30 ~-89%	3300PF		10.2				
JD392M2GY5V	(Y5V)	3900PF	M±20%	11.4				
JD472M2GY5V	_	4700PF	_	11.4/12.0				
JD103M2GY5V		10000PF		16.5				

注: 本规格仅作参考, 在没有告知的情况下, 有可能变更或改进, 如有需求请咨询我司。

El	A TEMPERATURE C	HARACT	ERISTIC CHART		
Firs	Second	Last Digit is Capacitance Change Over			
Digit is low Digit is High		Temperatu	ure Range From + 25 C Reading		
Temperature	Temperature				
X: - 55°C	4: +65℃	Α	± 1.0 %		
Y: -25°C	5: +85°C	В	± 1.5 %		
Z: +10°C	6: +105℃	С	± 2.2 %		
	7: +125°C	D	± 3.3 %		
	8: +150℃	Е	± 4.7 %		
		F	± 7.5 %		
		Р	± 10 %		
		R	± 15 %		
		S	± 22 %		
		Т	+ 22 % - 33 %		
		U	+ 22 % - 56 %		
		V	+ 22 % - 82 %		

# Capacitance Temperature Characteristics



#### Performance & Tests, draw up by IEC 60384-14:2005 and GB/T 6346

"Note: (1) Is was defined according with IEC 60384-14:2005, when for qualification approval and periodic tests, the withstanding test must last to 1 minute, and it belong to destroyed test domain, therefore, after the test, capacitors should be scrap. Withstand voltage test should rise slowly at 150V/s, and test time is counted from when the voltage reaches to experiment requirement." (2) The test time is more than 1 second at production period, and the rated test voltage is applied.

Capacitors may cause to damage when withstand voltage test repeated."


NO.	- up us	Item	Characteristic		Test Method
1	Appea	arance and	Please refer to figures and	1~1	"Production line visual inspection must be done
		mensions	tables on page 2, 3 and 4.		in full and remove the defective products."
				1~2	"Dimensions measurement by micrometer and
					Caliper
2		Marks	Must be clean and clear.	2 1	Label need to be able endure wiping with
				2~1	Isopropanol
3					Rated voltage: 300VAC for Y2, test voltage
	₩				2000 VAC or 2600 VAC, time 60s, frequency:
	iths	Between			50Hz/60Hz.
	tand	terminal	Can not have exceptions.	3~1	Rated voltage: 400VAC for Y1, test voltage
	[ov ]				4000 VAC, Approval and period test: 60s,
	ltag				Lot inspection 100% and time 2s, dicharge
	Withstand voltage test ( I )				current must ≤50 mA."
	t ( I				Use metal foil test method: use metal foil wrap
	Between			around the capacitor body, each end extending	
		terminal	Can not have exceptions.	3~2	at least 5mm, and keep 1mm/1kV distance
		and	can not have exceptions.		minimum, between metal foil and terminals. for
		coating.			Y2, test voltage 2300VAC; for Y1, test
					voltage 4000VAC, test time 60s.
4		tand voltage	(1)Gauze shall not ignite.		
	`	(For safety	(2)Capacitors shall not in	4~1	According to IEC 60384-14 and GB/T6346
	-	nbol A2)	burned.		requirements.
5		tand voltage	(3)Elements and coating must		
	`	(For safety	not scattered. (4)Terminals		According to IEC 60384-14 and GB/T6346
	syr	nbol B2)	can not be moved away from	5~1	requirements.
			the mounting position than		
		D	3mm.		
6		Between terminals	More than $10000M\Omega$ .		Macgured violation in 500 + 1537 - iddie 1
	l <del></del>			6~1	Measured voltage is $500 \pm 15$ V within 1 minute, and IR keeps within the specified value.
		ween terminals	More than $10000M\Omega$ .		innute, and it keeps within the specified value.
	a	nd coating.			
7			Within specified tolerance	7~1	The Capacitance shall be measured at 25°C,
	Ca	pacitance			with 1±0.1kHz and 5Vrms max
8	Dissipa		$B(Y5P) \tan \le 2.5\%$	8~1	"The Dissipation Factor shall be measured at 25°C with
	Factor(1	D.F)	$E(Y5U) \tan \leq 2.5\%$		1±0.1kHz and 5Vrms max
			$F(Y5V) \tan \le 5.0\%$		

NO	Item		Characteristic				Test Method			
9		Temperature (			9~1	Temperature applicable):	Coefficient	(T.C.	category	
	Temp	TYPE Temp.Range	SL + 350~	YN - 800~	9~2	PPM/°C = (Ct2 - Ct1) /Ct1*(t2-t1) Ct2: the capacitance of t2				
	Temperature	20~85°C -1000pp -5800 m/°C ppm/°C				Ct1: the capa t2: $85^{\circ}C\pm3^{\circ}C$				
	Characteristic	Dielectric Capacitane range:  Type B Type E V	within ±109 Within ±229 Within ±30	e within the % % ~ -56% 0% -80%	9~3	Temperature phase  1) 20±2°C → 2) -25±2°C → 3) 20±2°C → 4)  85±2°C → 5) 20±2°C  Capacitance change: (High Dielectric Category applicable)  C .C(%)=(Ctx-Ct20)/Ct20*100  Ctx: Except Temp. phase 1 、 3 、 5, The capacitance of any temperature between phase 2 to phase 4.  Ct20: The capacitance of phase 3 temp.			c Category  5, The en phase 2	
10	Robustness of termi	Tensile  Capacitors not be snapped  Capacitors not be damaged		Lead wires not be snapped  Capacitors not be damaged		_	0.5  1  citor's body and lly to each lead		a tensile	
	terminations	Bending		ot be fractured t be damaged	10~3	Diameter(mm) 0.5Φ 0.6Φ~0.8Φ	0.25 0.5		ng angle is nore than	
11	Vibratio nresista nce	Appearance Cap. Change Q or DF	No significan Within specif within initial	ication	11~1		juency from 1, amplitude 1.			
12	Solderin	Appearance	No significan		12~1	Solder tempera	ature 350±10°C ne 3.0± 0.5sec			
	Soldering Heat Resistance	Dielectric compliance with the Strength I characteristic as No.3		12~2	Placed at room condition for 4~24 hours, and then to measure.			hours, and		
	stance	Capacitance change rate	B: within ±10 E: within ±15 F: within ±20	%	12~3					

	JYH HSU (JEC) ELECTRONICS LTD.,										
No	Item	C	Characteristic		Test Method						
13	Solder ability		face of lead wires, there area welding with the	13~1 13~2	Solder temperature 275±10 °C Immersion time 2.0± 0.5sec						
14	Humidity (Under Steady State)	Appearance  Dielectric Strength I  Between terminals  Between terminal & coating  Capacitance change rate  Dissipation Factor (D.F)	No significant abnormal  Must meet the requirements of No.3  More than the 1/2 value of No.6 requirements.  Type B within ±15% Type E within ±20% Type F within ±30%  Type B & E, under 5%. Type F, under 7.5%	14~1 14~2 14~3 14~4	Temperature: 40±2°C  Humidity: 90~95%RH  Time: 500±12 Hrs  Remove & placed at room condition for 1~2 hours, and then to measure.						
15	Damp heat loading	Appearance  Dielectric Strength I  Between terminals Between terminal & coating  Capacitance change rate  Dissipation Factor (D.F)	Must meet the requirements of No.3  More than the 1/2 value of No.6 requirements.  Type B within ±15% Type E within ±20% Type F within ±30%  Type B & E, under 5% Type F, under 7.5%.	15~1 15~2 15~3 15~4 15~5 15~6	Temperature: 40±2°C  Humidity: 90~95%RH  Time: 500±12 Hrs  Voltage: AC 180Vrms  Current: Less than 50mA  Remove & placed at room condition for 1~2 hours, and then to measure.						

No	Item		Cha	racteristic		Test Method
16		Ap	pearance	No significant abnormal	16~1	Temperature: 85±3°C; 125±5°C
	Endı	Die	electric Strength I	"Must meet the requirements of No.3	16~2	Time: 1000±12 Hrs
	Endurance	I Between terminals R Between terminal&coating  Capacitance change rate		More than the 1/2 value of No.6 requirements.	16~3	Voltage: rated voltage of 1.7UR
					16~4	Current: less than 50mA
				Type B within ±15% Type E within ±20% Type F within ±30%	16~5	Remove & placed at room condition for 1~2 hours, and then to measure.
		Dis	ssipation Factor (D.F)	Type B & E, under 5% Type F, under 7.5%		
17	17 Flame Test		st	Applicable safety symbols A2, B2.		The capacitor should be subjected to applied flame for 15 sec, and then removed for 15 sec, until 3 cycles are completed. And then continued to flame a minute and never to explode.
18	Solvent Resistance (Body)		Solvent Resistance (Body)  After the test must meet the standards of its electrical properties			The capacitor should be immersed into a isopropyl alcohol for 5±0.5 minutes, then removed and placed for 48 hrs. at room condition before post measurements.
19	Solve	Solvent Resistance (Mark)		Marks should be legible		Use cotton yarn dips isopropyl alcohol, by force 5±0.5 N/1 cm <sup>2</sup> , 1 second round trip twice to wipe mark on the body, and run 5 cycles.


# TAPING SPECIFICATIONS




# Taping (Radial)--Lead Spacing F=7.5±0.8 or 10.0±0.8

	Item	Code	Dimensions (mm)	Item	Code	Dimensions (mm)	
Taping Pito	ch	P	12.7±1.0	Lead Protrusion	1	+0.5~1.0	
			15.0±1.0				
Guide Pitcl	h	Po	12.7±1.0	Diameter of Feed Hole	Do	4.0±0.3	
			15.0±1.0				
Lead Spaci	ng	F	7.5±0.8	Diameter of Lead	d	0.55+0.06	
			10.0±0.8			-0.05	
Feed Hole	Position Capacitor Body	P2	6.35±1.3	Total Thickness of Tape	t	0.7±0.2	
Feed Hole	Position Capacitor Lead	P1	3.85±0.7	Thickness of Capacitor Body	Т	Differ in each product	
Diameter C	Of ISO	D	See table of	Alignment to FR. Direction	Δh	0±2.0	
		each series		Length of snipped Lead	L	11.0 +0 -1.0	
Width Of E	Base Tape	W	18.0±0.5	Width of Hold-down Tape	Wo	12.5	
Feed Hole	Vertical Position	W1	9.0 +0.75 -0.05	Hold-down Tape Position	W2	1.5±1.5	
Taping	For Straight	Но	16.0±1.0	Coating Extention	e	3.0 以下	
Height	For Crimp	Н	17.0 +2.0 -1.0		el	up to center of crimp	

#### AMMO PACK Acceptable to standard radial type cartridge.





## 1. Tape box:

Part F	10. 0mm	7.5mm(Y1)	7.5mm (Y2)
10-222PF	1000pcs	1200pcs	1500PCS
332-472PF	1000PCS	1200PCS	1500PCS
103PF	1000PCS	1000PCS	1000pcs
p0=15	1000pcs	1000PCS	1200pcs

2. each large box can hold ten small boxes.