

PACIFIC DSC-110S







Connectivity

USB Output	B type mini USB 2.0 full speed
Video Output	Yes

Power

Battery Type	2X AAA Alkaline/NIMH battery
--------------	------------------------------


Other features

LCD	1.5" LTPS TFT LCD, 557x234 (pixel)
Playback Zoom	Up to 16x digital Zoom
USB storage class support	Support PCAM/MSDC in Window 98 SE/ME/2000/XP; Only support MSDC in Mac9.1 and above.
Multiple language	E/F/G/I/S/TC/SC

Tripod mount	Plastic
Body materials	Plastic
Game	Yes

Standard Accessories

Batteries	2X AAA Duracell Alkaline
USB Cable	Yes
Composite Video Cable	Yes
Hand Strap	Yes
Pouch	Yes
Quick Guide	Yes
Protecting SW	Usadl Photo Explorer - Video Station CXA 1020



General Features

Max. Resolution	3600 x 2700 / 10M (Interpolation)
Still Image Size	3600 x 2700 / 3072x2304 / 2880 x 2160 2560 x 1920 / 2304 x 1536 / 1600 x 1200 / 1280 x 960
Image Sensor	CMOS
Pixel Array	2074x1540/3.21M (Total) 2048x1536/ 3.14M (Effective)
Sensitivity equivalent	Auto, ISO100
Lens Aperture	F3.0
Digital Zoom	Up to 8x Digital Zoom
Viewfinder	N/A
Voice recorder	Support voice memo and voice recorder
Internal Memory	16MB NAND
Storage media	SD/MMC
Focus distance	Micro: 19-22cm, Near: 86-153cm; Far: 153cm-infinity
Video/Audio Clip	Up to 30 fps @ VGA
Continuous shot	3 pictures continuous shot
Self Timer	2/10 sec. self timer
Compatibility	Windows/ME/2000/XP/Mac 9.1 and above (Support MSDC)
File Format	JPEG/ EXIF 2.1/ DPOF
Dimension	86 x 55 x 20 (mm)
Flash (Probe)	SCR
Flash range	Auto/Flash on/Flash off